

POWERED BY



TREND
AnyWARE[®]
CLOUD

NEW



SIGNALTEK QT

**CLOUD CONNECTED
10 GIGABIT COPPER & FIBRE
QUALIFICATION TESTER**

**Complete Network Visibility -
Qualify 10G Copper, Fibre, and Wi-Fi.**



TREND NETWORKS
CLOUD CONNECTED TESTERS

Depend On Us



The All-in-One Cloud Connected Tester you can Depend On

SignalTEK QT Series 10 Gigabit Copper & Fibre Qualification Tester with Wi-Fi Diagnostics & Troubleshooting

The new SignalTEK QT Series is the ultimate 10G qualification tester for copper, fibre, and Wi-Fi diagnostics. Powered by TREND AnyWARE Cloud, enabling remote reporting and test result analysis.

As networks evolve to support higher bandwidth, lower latency, and increased device density, 10 Gigabit Ethernet

is rapidly becoming the standard for future-proof LAN infrastructures. The transition to fibre optic backbones and the growing demand on Wi-Fi networks require precise, reliable and scalable testing solutions, which is exactly what the SignalTEK QT delivers. The SignalTEK QT Series was designed for today's Copper, Fibre and Wi-Fi networks.



Copper Qualification

Ensure the desired network speed is supported by performing an RF test of the cable to test NEXT, Return Loss and Insertion Loss. SignalTEK QT will display the available performance versus the desired speed with an easy-to-read display. Up to 12 remotes are available for rapid testing. SignalTEK QT allows selection of speeds from 10Mb/s to 10Gb/s including the new 2.5 & 5Gb/s multigig speeds.



Fibre Qualification

SignalTEK QT Pro qualifies fibre links in accordance with the IEEE 802.3 standard up to 100Gb/s by measuring insertion loss and length of fibre cabling using a convenient loopback test. TREND's high performance SFP modules offer high accuracy insertion loss measurements and the SignalTEK QT Pro detects the installed SFP module to automatically set Pass/Fail limits.




Wi-Fi Testing

Analyse Wi-Fi channel strength and identify access points that are on overlapping channels to maximise network performance. Channel utilisation graphs help determine which access points (APs) are overloaded with users. Connect to a network and perform diagnostics with ping, traceroute and device scan tests.


Qualify Multimode and Single-mode Fibre Links

Key Features



Copper Cable Qualification

Qualify performance from 10Mb/s to 10Gb/s including Multi-Gig speeds with Live wiremap and TDR fault location.



Fibre Cable Qualification

Qualify performance from 10Mb/s to 100Gb/s by measuring dB loss and length to IEEE standards.



Wi-Fi Channel Scan and Utilisation

Select a channel to view the name, IP address, MAC address and signal strength of APs on each channel to help balance utilisation.

Link Details				
Link Status	Up			
Link Speed	1Gb/s			
Pair	1-2	3-6	4-5	7-8
Skew (ns)	8.00	8.00	8.00	0.00
PoE Status	PoE 802.3BT (Class 8)			
	Pair 12-36		Pair 45-78	
PoE Voltage (V)	52.9		53.1	
PoE Power (W)	89			


PoE Load Test

Ensure installed cables provide enough power for PoE devices by performing a load test with up to 90 watts including Pass/Fail results.

NetScan	
Passed	Elapsed: 00:00:11
Test Started	11/07/2016 11:55:47
Scan	172.20.20.183/24
Conflicts	0
IPv4 Hosts	9
IPv6 Hosts	3
Devices	
Vendor	IP Address
SAMSUNG ELECTRO-MECHANICS(THAILAND)	192.168.0.5
Hon Hai Precision Ind. Co.,Ltd.	192.168.0.6
BSkyB Ltd	192.168.0.11
Apple, Inc.	192.168.0.22

Device Scan

Connect to active copper/fibre/Wi-Fi networks and collect a list of connected devices including the vendor ID, IP address and MAC address with automatic checking for IP address conflicts.



Access Point Location

Use the internal or external antennas to locate hidden access points with the responsive signal strength indicator.

Upload tests, generate, and share professional reports for free on TREND AnyWARE Cloud. The worlds fastest Test Management Software.

Fleet management

- **Easily manage your tester fleet** – Fleet manager allows you to see who has the tester, when the results were last synced and view available software updates. This enables you to reduce tester downtime and ensure results are synchronised to the TREND AnyWARE Cloud and not lost or deleted.
- **Over-the-Air Software Updates** – Software updates are installed directly from TREND AnyWARE Cloud using Wi-Fi or wired Ethernet, allowing in-field updates without requiring a PC or proprietary software.

- Operates anywhere with a web browser –



- **Share reports easier** – Use TREND AnyWARE Cloud to share links to test reports eliminating the need to email large attachments.

TREND NETWORKS

SignalTEK QT Pro Test Report

Project Name: City College
 Operator: Default Engineer
 Contractor Name: City College
 Phone:
 Email:
 Address:

S/N: 1660010A/Z5120002
 S/W Ver: 0.0.15

Report Version 0.0.1

City College Results Summary

Ports Summary

Port	Pass	Fail
Ethernet	✓	-
Optical	✓	-
Wi-Fi	✓	-

SubTests Summary

Test	Pass	Fail
Copper Qualification	✓	-
PoE	✓	-
Fiber	✓	-

Test Name	Result	Date (mm/dd/yyyy)	Port	Network					Copper Qualification	Fiber Qualification
				Ping (IPv4)	Ping (IPv6)	TraceRoute (IPv4)	TraceRoute (IPv6)	NatScan		
10G fiber	✓	04/16/2025	SFP	-	-	-	-	-	-	✓
100G fiber	✓	04/16/2025	SFP	-	-	-	-	-	-	✓
Net 01	✓	04/16/2025	RJ45	✓	-	-	-	✓	✓	-
Demo table network 1	✓	04/17/2025	RJ45	✓	-	-	-	✓	✓	-
Cassette	✓	04/18/2025	SFP	-	-	-	-	-	-	✓
1-A-01	✓	04/18/2025	RJ45	✓	-	-	-	✓	✓	-
1-A-02	✓	04/18/2025	RJ45	✓	-	-	-	✓	✓	-
Backbone Pair 1	✓	04/18/2025	SFP	-	-	-	-	-	-	✓



SignalTEK QT Pro

Intuitive User Interface

Simplified user interface for easy setup and operation

Multi-Gigabit Qualification


Test copper cable performance (10Mb/s to 10Gb/s) and fibre cables (10Mb/s to 100Gb/s)

Complete PoE Testing

Perform load tests up to 90 watts to ensure power delivery to the latest PoE devices

High Capacity Li-Ion Battery

54 Wh battery provides 10-hour operation on a single charge



Complete Connectivity


Gigabit Ethernet port
2 x USB A ports

Live wiremap

Instant wiremap result before the Autotest begins

Supports Fibre Optic Inspection Microscope

Check connector quality and perform automatic, Pass/Fail testing to IEC 61300-3-35 standard



Integrated TREND AnyWARE Cloud

Pre-configure jobs and tests in the TREND AnyWARE Cloud, eliminating potential mistakes

SFP+ Test Port

Test dB loss & length of fibre optic cables, plus connect to active networks for diagnostic testing

RJ45 Test Port

Cable Qualification of copper cables and Ethernet diagnostics on active networks

Visual Fault Locator

Integrated red laser source to verify fibre continuity and detect breaks or bends in racks and cabinets

External Wi-Fi Antenna

Connect the included external antenna for longer range Wi-Fi reception on 2.4/5GHz networks or use a 3rd party directional antenna to easily locate hidden APs

USB-C Port

Battery charging and additional device connectivity

Gigabit Ethernet

Management port for AnyWARE Cloud sync, TeamViewer and VNC remote control

USB-A ports

Connect external Wi-Fi adapters*, memory sticks, keyboard, mouse, barcode scanners and other accessories



Which SignalTEK QT model is right for you?



	SignalTEK QT Pro The ultimate copper, fibre and Wi-Fi qualifier	SignalTEK QT 10 gigabit cloud connected copper qualifier
Feature	R166001	R166002
Copper cable length and TDR fault location with support for up to 12 remotes	 COPPER	 COPPER
Fibre cable length	 FIBRE	x
Copper qualification - 10Mb/s, 100Mb/s, 1Gb/s, 2.5Gb/s, 5Gb/s, 10Gb/s	✓	✓
Fibre attenuation (dB loss)	✓	x
Integrated visual fault locator (VFL) with 2.5mm connector and 1.25mm (LC) adapter. Steady and flashing operating modes	✓	x
Fibre optic connector inspection microscope Pass/Fail testing to IEC 61300-3-35	Optional	x
Switch port info: speed, name, port number, address	  COPPER FIBRE	 COPPER
Wi-Fi AP scan with conflict check and Wi-Fi signal strength	✓	✓
Wi-Fi site scan with AP information, channel map, Tx/Rx rates, channel utilization, AP location with external antenna	✓	x
Live Wiremap	✓	✓
Network diagnostics: ping, traceroute, device discovery, switch port info, number, port utilisation history	   COPPER FIBRE WI-FI	 COPPER
Identify top VLAN IDs (levels 1-3)	✓	x
PoE load test: 802.3 af/at/bt up to 90 watts	✓	✓
Interface ports	RJ45 test port, ext. Wi-Fi antenna, SFP+, VFL, wired Ethernet, 2 x USB A, USB C	RJ45 test port, wired Ethernet, 2 x USB A, USB C
Touchscreen	✓	✓
Internal storage for 2,500 test results	✓	✓
Project management, test pre-configuration, results storage and upload/download, PDF reporting	 Wi-Fi/RJ45	 Wi-Fi/RJ45
TeamViewer® and VNC remote control	✓	✓
Bundles offering and trade-in options	✓	✓

SignalTEK QT Series

10 Gigabit Copper & Fibre Qualification Tester




SignalTEK QT Pro shown above.

Ordering information

Part No	Kit Contents
R166001	SignalTEK QT Pro 10 Gigabit Copper & Fibre Qualification Tester. 10G copper/fibre qualifier with Wi-Fi (internal and external antennas), soft carry case, 1 x plug (male) copper remote – ID #1, 1 x socket (female) copper remote – ID #1, 1m Cat 6A shielded patch cord, 1 x 850nm MM high stability SFP module, 1 x LC-LC and 1 x LC-SC OM3 MM duplex patch cords, 1 x LC and 1 x SC multimode fibre loopback remotes, 2.5 & 1.25mm fibre cleaning pen, USB-C charger with changeable plugs.
R166002	SignalTEK QT 10 Gigabit Copper Qualification Tester. 10G copper qualifier, soft carry case, 1 x plug (male) copper remote – ID #1, 1 x socket (female) copper remote – ID #1, 1m Cat 6A shielded patch cord, USB-C charger with changeable plugs.
STQT-PRO-KIT-3Y	SignalTEK QT Pro 10 Gigabit Copper & Fibre Qualification Kit with 3 Year Warranty. 10G copper/fibre qualifier with Wi-Fi (internal and external antennas), hard carry case, 12 x plug (male) copper remotes – ID #1-12, 12 x socket (female) copper remote – ID #1-12, 1 x 1310nm SM high stability SFP module, 1 x 850nm MM high stability SFP module, 1 x LC-LC and 1 x LC-SC SM and MM duplex patch cords, 1 x LC and 1 x SC SM and MM fibre loopback remotes, 2.5 & 1.25mm fibre cleaning pens, cable tracing probe, hard carry case.
TRADE166001	Trade-in to a SignalTEK QT Pro 10 Gigabit Copper & Fibre Qualification Tester.
TRADE166002	Trade-in to a SignalTEK QT 10 Gigabit Copper Qualification Tester.

Valid testers for Trade-in: Cable IQ™, NetXpert™, LANXpert™, Link IQ™ and Link IQ™ Duo, LinkRunner™, EtherScope™, OneTouch™, NaviTEK™, SignalTEK™ or any 100MHz or higher ISO/TIA compliant cable certifier.

Optional Accessories

Part No.	Kit Contents
R166020	 Kit of 12 x RJ-45 remote plugs (#1 - #12)
R166021	 Kit of 12 x RJ-45 remote sockets (#1 - #12)
R166028 R166029	Fibre testing kits:  (R166028) 1310nm multimode/single-mode (R166029) 1550nm single-mode High performance SFP module with LC & SC fibre loopback remotes and LC & SC patch cords (Sold with R166028 and R166029)
R166036	 Folding kickstand Compatible with SignalTEK QT and QT Pro

For full list of accessories please visit www.trend-networks.com

* SignalTEK QT Pro supports Wi-Fi 6 USB adapters that utilize MediaTek chipsets.



TREND NETWORKS, SignalTEK and the TREND AnyWARE logos are trademarks or registered trademarks of TREND NETWORKS.

TREND Networks
728 London Road
High Wycombe
Buckinghamshire
HP11 1HE
United Kingdom
Tel. +44 (0)1925 428 380
Fax. +44 (0)1925 428 381
uksales@trend-networks.com
www.trend-networks.com

Specification subject to change without notice. E&OE
© TREND NETWORKS 2025
Publication no: 166806. Rev 1.